




Climbing Systems

Safety with System



MEVA climbing systems

Automatic, precise, quick and safe

Ensuring a high degree of safety and speeding up the construction process are the main priorities when erecting very tall buildings. MEVA offers ideal solutions ranging from classic climbing to automatic climbing systems for all high-rise construction projects in order to ensure efficient and quick climbing even under challenging ambient conditions.

KLK 230 Climbing system

The KLK 230 climbing system is firmly attached to the wall formwork to form a craneable climbing unit. The climbing system, which is specifically adapted to suit the building, thus serves as a barrier-free working platform.


- Optionally available with slide carriage to provide sufficient space to perform forming and boxout work
- It can also be used flexibly for polygonal building layouts.
- The high load-bearing capacity of the brackets make very large climbing units possible.



MGC-H Rail-guided climbing system

The MGS-H rail-guided climbing system climbs as a unit and consists of wall formwork and working platforms. Hydraulically or by crane.

- The climbing unit is permanently connected to the building and thus guarantees safe climbing at all heights.
- Optionally available with slide carriage to provide sufficient space to perform forming and boxout work
- Safe and efficient solution



MGS-H Rail-guided screen system

The MGS-H rail-guided screen system provides all-round enclosure of the slab edges in the upper storeys and climbs hydraulically or by crane.


- Rapid assembly; can be optionally delivered as a preassembled unit
- It can be used flexibly with and without working platform
- The MGS-H protects against falls from heights, falling objects and the effects of weather
- Increases the productivity when working at great heights



MAC Automatic climbing system

The system climbs hydraulically as a unit and is crane-independent.

- Cost-efficient, as the formwork can be moved quickly as a single unit
- Flexibly adaptable due to modular system
- Deployable in all weathers due to all-round enclosure
- Ensures safe work, also for the tasks performed below the climbing unit
- Simple access due to integrated ladders



KLK 230 climbing system

Safe and flexible

The multifunctional climbing system

The KLK 230 climbing system with a 2.30 m wide platform provides all the technical advantages of large-area formwork irrespective of the height of the building – with the same level of safety as at ground level.


The KLK 230 can be used as climbing formwork and as a working platform for rebar, formwork set-up and concrete-pouring work. It can be easily supplemented with a trailing platform in order to perform follow-up work.


The KLK 230 climbing system is firmly attached to the wall formwork to form a craneable climbing unit. The formwork clamping fixture allows both the height (up to 23 cm) and the inclination of the formwork to be finely adjusted in order to precisely adapt it to the geometry of the building.

The formwork can be moved back by 70 cm using a slide carriage, creating sufficient space to perform cleaning and boxout work comfortably.



The KLK 230 climbing system consists of climbing brackets, wall struts, planking and handrails.





i

Simply smart

- **Formwork height up to 7.25 m**
- **Loading of the KLK platform up to 6 kN/m² (DIN 4420)**
- **Climbing system with formwork support**
 - Quick and safe attachment of the formwork to the KLK 230 with the tried-and-tested MEVA assembly lock
- **Climbing system with formwork clamping fixture**
 - Formwork can be tilted back to allow work to be carried out; this simplifies stripping
 - Formwork clamping fixture with 23 centimetres of vertical adjustment enables the formwork to be precisely adjusted to suit the building geometry
- **Climbing system with slide carriage**
 - Simple relocation of the formwork (travel distance of 70 cm)
 - Comfortable working area for formwork set-up and boxout work
 - Barrier-free work
 - Climbing system and formwork can be relocated as a single unit
- **Working platform with 2.30 m depth**
 - Safe and comfortable work at all heights
- **The side protection net on the handrail protects against falling objects**

The rail-guided MGC-H climbing system

Safe work at all heights

Rail-guided lifting using hydraulics or by crane

The rail-guided MGC-H climbing system (MEVA Guided Climbing) climbs as a unit and consists of wall formwork and working platforms. Hydraulically or by crane.

Safe and efficient assembly on the ground


Thanks to the MGC-H's clever design, the units – including guide rail and ladder extensions, trailing platforms and other components – can be assembled safely and in a time-saving manner under simple assembly conditions on the ground.

Extensions and trailing platforms installed from below

When the climbing unit has been installed on the building, the extensions, trailing platforms and access ladders are also installed from below. This increases the safety of the system and the efficiency during assembly.

MGC-H and wall formwork – always a safe unit

The MGC-H and the wall formwork always form a single unit. The use of guide rails ensures that it remains firmly anchored to the building even under windy conditions – during both the construction phase and the climbing phase (hydraulically or by crane). It is possible to work ergonomically at all times thanks to cleverly designed components such as weight-optimised hydraulic cylinders, the mobile hydraulic unit as well as the lightweight MGC-H guide shoe.



Easy to use: Trailing platforms can be flexibly attached to the guide rails in order to safely perform follow-up work.



Simply smart

- **Lifting process using hydraulics or by crane**
 - Provides for flexibility and efficiency
- **Free positioning of the guide rails up to 4.50 m**
 - Width covers a wide range of standard applications
- **High degree of safety**
 - Fully integrated access ladders with safety cages
- **Safe and efficient preassembly on the ground**
- **Delivery of preassembled transportable components possible**
- **Safe work in all weathers increases the productivity**
- **Ergonomic work thanks to weight-optimised components among other things**
- **All-in-one-solution**
 - MGC-H in conjunction with MGS-H provides for optimum safety and efficient construction processes



Firmly attached to the building at all times, during both the construction phase and the climbing phase.



Even complex geometries with differently sized and offset structural elements can be mastered smoothly using the MGC-H guided climbing system.

The rail-guided MGS-H screen system

All-round protection at all heights

Rail-guided climbing, hydraulically or by crane.

The rail-guided MGS-H screen system (MEVA Guided Screens) provides all-round enclosure of the slab edges in the upper storeys and climbs hydraulically or by crane.

MEVA's guided screen system (MGS-H) encloses entire storeys of a building, especially during high-rise construction, irrespective of the height of the building. Maximum safety is guaranteed for the personnel during all phases of the work. Work can be performed in almost all weather conditions. The MGS-H remains connected to the building during the entire construction period, and can be attached to either the slab or the wall.

The MGS-H allows the sizes of the units to be chosen freely and perfectly adapted to suit the shape of the building. Even large-format units can be climbed quickly and safely in one lift. The screening is completely closed, optionally with cladding sheet (perforated or unperforated) or with various fabrics.

Safe and quick assembly

The MGS-H is safely and efficiently assembled on the ground or delivered completely preassembled to the construction site in order to avoid situations where time and space are critical.

Ergonomics

Besides safety, the focus is on ergonomics: weight-optimised hydraulic cylinders, a mobile hydraulic unit and the lightweight MGS-H guide shoe weighing only 20 kg make the assembly work easier.



Simply smart

- **System with individual units**
 - Flexible adaptation to the floor plan and the geometry
 - Free positioning of the guide rails
 - Economical solution for almost all buildings due to flexible widths
- **Safe and time-saving preassembly**
 - On the ground
 - Delivery of preassembled components possible
- **Ergonomic work thanks to weight-optimised components**
- **All-in-one-solution**
 - MGS-H in conjunction with MGC-H or MAC provides for optimum safety and efficient construction processes



Firmly attached to the building at all times to protect it against the wind, during both the construction phase and the climbing phase




Lifting process using hydraulics or by crane – high degree of flexibility and efficiency



Maximum flexibility and simplified suspension through folding mechanism and adjustable guide shoe

Maximum safety due to the completely enclosed building



MAC automatic climbing system

Automatic climbing at great heights

Self-climbing, safe, quick, precise

The MAC automatic climbing system (MEVA Automatic Climbing) is the preferred solution for very tall buildings and when the strictest requirements are placed on safety. Together with the wall formwork, the MAC climbs as a fully enclosed unit without the use of a crane and thus ensures a maximum of work safety. The MAC has proven its worth during a great many high-rise construction projects such as the two highest office buildings in Switzerland, the Roche Tower buildings 1 and 2; the tallest building on the Indian subcontinent, the Palais Royale in Mumbai; or the One World Hotel in Singapore.

Safety, precision and speed


MAC combines safety and speed with precision. The complete unit can be raised by 4.5 m in only about 60 minutes and can be performed by small teams. In addition, the high-performance hydraulic system is protected by non-return valves in every cylinder.

Preassembly

Large parts of the MAC system can be preassembled upon request so that assembly at the construction site can be completed rapidly and efficiently.

Platform 1


provides a comfortable working area and sufficient storage space. In addition, the platform allows concrete placing booms to be integrated.





Simply smart

- **Crane-independent**
 - Guarantees speed and efficiency, especially at great heights
 - Crane is available for other tasks
- **Climbing process**
 - Tried-and-tested technology; improved efficiency; shorter construction time
- **High degree of safety**
 - Safe access thanks to integrated platforms and ladders
- **High-performance hydraulic system of the MAC automatic climbing system allows a stroke of 4.5 metres (20 t per cylinder)**
 - The 4.5 m lifting process takes only about 60 minutes
 - Climbs as a single unit
- **Just one day needs to be planned in for stripping, climbing and setting up the formwork. Depending on the duration of the boxout work, 4 days per cycle have already been achieved on numerous occasions.**
- **Additional trailing platforms for other tasks can make the use of an additional access system superfluous.**
- **Completely covered and closed working platform**
 - Protection against the effects of weather as well as comfortable working conditions, screening to block the outside view and also provide privacy protection
 - Construction schedule independent of the weather
 - Enables work to be performed independently on wall and slab
- **All-in-one-solution**
 - MAC in conjunction with MGS-H for optimum safety and efficient construction process



MAC automatic climbing system


Safe and efficient


Combinable with all wall formwork systems

MEVA's MAC automatic climbing system (MEVA Automatic Climbing) climbs as a single unit. This simplifies the construction process and increases the safety compared to climbing systems in which every platform climbs individually. The completely covered and closed unit provides protection against the weather as well as comfortable working conditions. Work on wall and slab can be performed independently of each other. This increases the productivity and thus ensures rapid progress of the construction work.

The MAC's clever design enables the formwork to be adapted quickly and easily to the building's geometry. In addition, entire gangs can be moved in a single operation, resulting in a significant time saving whenever the formwork is set up or stripped.

Depending on the requirements, all MEVA wall formwork systems as well as the customer's own formwork can be used in the MAC.





The fully enclosed, automatic hydraulic climbing system can be operated easily and quickly by small teams.




The bearing pockets are removed from the trailing platform and reused during the next climbing stage. This reduces the material costs, as no lost build-in parts are left over in the concrete.



The top deck of the MAC is free of jacking masts, thus ensuring an optimum level of safety, a minimum risk of accidents and more storage space.



The 3-way adjustment allows for utmost precision. The suspended formwork can be moved and adjusted manually in three directions and can thus be quickly and easily adapted to suit the geometry of the building.



The wall formwork panels are suspended, can be moved back manually, and allow the formwork to be opened quickly and easily.



High-performance hydraulic system of the MAC automatic climbing system allows a stroke of 4.5 metres (20 t per cylinder).

Pioneer and trendsetter

More with MEVA

Formwork. Simple. Smart.

A lot of things that are now considered to be standard in the formwork industry were developed by MEVA in Haiterbach. As a trendsetter for the entire industry, we work day in and day out with great élan to make formwork even safer, more efficient and easier to use for the end user. For us, the excellent quality of our products and technology is a matter of course.

We are independent, family-run and committed to the values of a medium-sized company in everything we do. That is why our customers may rightly expect not only technologically superior products but also comprehensive, personal commitment to projects all around the world.

Complex special formwork or economical standard formwork: Our experience and wide range of products make us a service partner with strong consulting skills, even for the sophisticated challenges construction professionals have to master nowadays.


*Formwork.
Simple. Smart.*

▲ meva



You can rely on us wherever you are.

With 40 offices on 5 continents, we are
on the spot wherever you need us.



Headquarters (Germany)

MEVA Schalungs-Systeme GmbH
Industriestrasse 5
72221 Haiterbach
Tel. +49 7456 692-01
Fax +49 7456 692-66

info@meva.net
www.meva.net

Subsidiaries/international bases

AE-Dubai	Tel. +971 4 8042200	LATAM	latam@meva.net
AT-Pfaffstätten	Tel. +43 2252 20900-0	LU-Rodange	Tel. +352 20 283747
AU-Adelaide	Tel. +61 8 82634377	MA-Casablanca	Tel. +212 684-602243
BE-Landen	Tel. +32 11 717040	MY-Perak	Tel. +60 12 5209337
BH-Riffa	Tel. +973 3322 4290	NL-Gouda	Tel. +31 182 570770
CA-Toronto	Tel. +1 416 8565560	NO-Oslo	Tel. +47 67 154200
CH-Seon	Tel. +41 62 7697100	PA-Panama City	Tel. +507 2372222
DK-Holbæk	Tel. +45 56 311855	PH-Manila	Tel. +63 998 5416975
FR-Sarreguemines	Tel. +33 387 959938	QA-Doha	Tel. +974 4006 8485
GB-Tamworth	Tel. +44 1827 60217	SG-Singapore	Tel. +65 67354459
HU-Budapest	Tel. +36 1 2722222	US-Springfield	Tel. +1 937 3280022
IN-Mumbai	Tel. +91 22 27563430		



MEVA Schalungs-Systeme GmbH

Industriestrasse 5 Tel. +49 7456 692-01
72221 Haiterbach Fax +49 7456 692-66
Germany info@meva.net

www.meva.net